





IMPACT! Setup Instructions V1.7



THANK YOU FOR DOWNLOADING IMPACT!, THE WORLD'S MOST FLEXIBLE AND POWERFUL CONVEYOR CONFIGURATOR!

This installation guide is broken down into the following sections:

- 1. **Installation Instructions Overview**..... 
- 2. **Detailed Installation Instructions**..... 
- 3. **Instructions for Use with Excel Only** (if you aren't a Solidworks user)..... 
- 4. **Instructions for Use with Solidworks**..... 

IMPACT! is an Excel based quoting tool, an applications evaluation tool, and a solid modeling tool.

IMPACT! provides accurate, dynamic pricing, part numbers, and applications information all within the Excel environment. If you are a Solidworks user, it also dynamically creates highly configurable models that intelligently synchronize with Excel, keeping your model, pricing, and bill of material in sync.

INSTALLATION INSTRUCTIONS OVERVIEW

1. **Download** the ZIP file to your PC from <http://www.glide-line.com/downloads/>
2. **Extract** it (unzip it) wherever you want by utilizing an unzipping utility of your choice
 - a. The results of the extraction will be a folder and a file
 - i. The folder is named "Glide-Line"
 - ii. The file is named "Glide-Line Impact Master.xlsm"
3. **Rename** the file from Glide-Line Impact Master.xlsm to whatever you want (but no extra dots in name). For example: "Glide-Line Impact Master test.1.xlsm" would be invalid
4. **Open** the newly renamed xlsm file to get started (you're done!)

SOFTWARE REQUIREMENTS


- Microsoft Excel 2010 or later
- Solidworks 2015 or later only if utilizing the Solidworks modeling aspect of the software. *Solidworks is not required to utilize this pricing and configuration tool, only for the modeling aspect.*
- Glide-Line recommends downloading in Microsoft Explorer or Edge as Chrome has some default settings that could potentially prevent a proper download. We also have a Dropbox folder that we can share if there are any issues downloading directly from the web.

IMPACT! Setup Instructions V1.7



DETAILED INSTALLATION INSTRUCTIONS

Download the latest IMPACT VX.X.XXX.zip file From the Glide-Line website. This .zip file contains the following folder and file. Simply extract and place this folder and file in a common location that can be accessed by anyone intending to use IMPACT.



The Glide-Line Folder

The Glide-Line folder contains all of the Glide-Line device utility data folders and an APPDATA file.

The **APPDATA file** is the file that will be updated from time to time with current pricing, including when you register IMPACT!


The Glide-Line IMPACT Master project file

The Glide-Line IMPACT Master project file is the EXCEL workbook that users will create project to project and interact with. Opening a copy of this will be your starting point, but first rename it something of your choice. For example, "Cool IMPACT Project.xlsm."

- You can name it anything you'd like as long as the filename does not contain a "." other than the file extension delimiter.
- Copied IMPACT project files can be placed anywhere on your machine or network and there's no limit to the number of copies that can exist.

Please do not open the IMPACT Master project file to begin a new project without renaming it first.

Once you've made an IMPACT *project specific* copy, open it. Please enable macros if you are prompted to do so. The first time you open a new copy, you will see the following dialog:




This is normal at the first installation. You will need to tell IMPACT where you stored your Glide-Line Folders upon initial download.

IMPACT! Setup Instructions V1.7




DETAILED INSTALLATION INSTRUCTIONS (continued)

Press OK and browse to the Glide-Line folder that you placed in a common location.



Simply highlight the Glide-Line folder as shown above and press OK.



You will see this dialog confirming that your IMPACT project workbook has been successfully setup.

Tip: To avoid having to go through the setup procedure each time you create a new IMPACT project file copy, set one up and make it your internal master and make copies from that master as you need them.

You can move the Glide-Line data folder if necessary. If you must move it, make sure no active IMPACT project workbooks are open. The next time any IMPACT project file is opened, it'll indicate that it can't find the installation folder and ask you to browse to its new location.

IMPACT! Setup Instructions V1.7



USING IMPACT! WITH EXCEL ONLY (without Solidworks)

IMPACT! allows the user to create and configure Glide-Line conveyor and devices in Excel for fast, accurate pricing. You don't need to be a Solidworks user to utilize IMPACT!

Browse to your renamed IMPACT Master file workbook and double click to open. You will see the following opening screen.

GLIDE-LINE IMPACT Version: 1.0.3020 (Beta)

Buttons: ADD NEW DEVICE, MODIFY ITEM SELECTED IN SOLIDWORKS, COPY PARTS IN SW, COPY ITEM SELECTED IN SOLIDWORKS, RECALCULATE

REFERENCE ID	IN SCOPE	USER DESCRIPTION	PART NUMBER	DESCRIPTION	QTY	LIST PRICE	EXTENDED
					0		
						TOTAL	\$0.00
						DISCOUNT	0.00%
						TOTAL	\$0.00

USER INSTRUCTIONS

Click on "ADD NEW DEVICE" button to add and configure a new Glide-Line device.
DOUBLE-CLICK cell for any existing device (EXCEPT "IN SCOPE") to **MODIFY, COPY, or DELETE** it's configuration.
YES/NO **DOUBLE-CLICK** on any cell in "IN SCOPE" field to change the value from "YES" to "NO" or back to "YES" again.
YELLOW highlighted "REFERENCE ID" indicates there is a Warning Message for the device. Click to display message.
GREEN highlighted "REFERENCE ID" indicates that the device is synchronized with SolidWorks.
Prices are all shown at **LIST**. Contact sales for your company discount.
In utilizing the IMPACT Tool, customer bears responsibility to make sure they are using the latest version.
<http://www.glide-line.com/downloads/>
Ctrl+G Update Glide-Line folder location
Ctrl+U Update AppData information

Click **ADD NEW DEVICE** to get started.

You will now see a list of devices. Browse through, select one, and IMPACT will open a configuration page utility.

When you select a utility, the dialogue box below will pop up on the front of the utility screen for the device that you selected. This allows you to name your device (for example "Trunk Line Conveyor") as it will be reflected in your Bill of Material and Summary. Once the device is named and while you configure your device, simply click the title bar and drag this off to the side out of your way until you are done on this screen.

Glide-Line IMPACT Configure and Confirm

User Description/SolidWorks Filename

CANCEL CONFIRM

Update SolidWorks Model and CONFIRM

Check to leave utility open after updating SolidWorks

Create and Insert SolidWorks Model

IMPACT! Setup Instructions V1.7



USING IMPACT! WITH EXCEL ONLY (without Solidworks)

Each configuration utility page is designed to help you configure the conveyor or device for your application. Many of the device configurators are completely intuitive and simply require entering in project specific variables (length, width, height, etc.).

Others are more powerful and handle dozens of variables including application information such as pallet weight, speed, amount of product accumulated, etc. An example of this is the **Conveyor Configuration Utility** as shown below:

GLT	2	PW	240	L	2000	D	500	S	VV28NF	1	W2	40	0
-----	---	----	-----	---	------	---	-----	---	--------	---	----	----	---

INITIAL UNIT LIST PRICE	BASE PART#	
N/A	GLT2-PW240-L2000-D500-S-VV28NF-1-W2-40-0	
SUBSEQUENT UNIT LIST PRICE	CROSSMEMBER CODE	100;1000;100
N/A	BREAKPOINT CODE	
	GUIDE RAIL SET BACKS	-LS -RS

OPERATING INFORMATION
MOTOR HP 0.250 MOTOR RPM 1750
BELT SPEED 8.8 m/min 344 in/min 28.7 ft/min

GENERAL CONVEYOR CONFIGURATION INFORMATION
OVERALL CONVEYOR LENGTH - 2000mm - 78.74" - 6.56'
WIDTH BETWEEN GUIDES - 242mm - 9.53" - 0.79'
OVERALL WIDTH - 256mm - 10.08"
BELT TYPE - STANDARD GREEN - 4190mm LONG
DRIVE TYPE - SIZE 28 WORM STYLE GEARBOX
NO MOTOR FLANGE - SEPARATE FLANGE OR MOTOR KIT REQUIRED

APPLICATION DEMANDS	CONFIGURATION LIMITS
CV BELT PULL 8% 188.8 lbs	15.1 lbs 67.0 N 840.0 N
GEARBOX LOAD 44% 150 in-lbs	66 in-lbs 7.4 Nm 16.9 Nm
MOTOR LOAD 30% .25 hp	.07 hp .06 kw .37 kw

APPLICATION INFORMATION
PALLET WEIGHT lbs 10
TOTAL NUMBER OF PALLETES 6
NUMBER OF STOPPED PALLETES 6
PALLET MATERIAL OR CF UHMW
LOAD ON STOP lbs 4.08
TOTAL WEIGHT ON CONVEYOR lbs 60.00

NOTE: This tool is in beta testing and should be used for testing and estimating only. NCC Automated Systems reserves the right to review all applications to verify accuracy.


On the Conveyor Configuration Utility (shown above), you can either manipulate the part number variables *manually*, or utilize the **CONFIGURATION WIZARD** as indicated with the red arrow above.

There is also a HELP button on this screen (green arrow) that will allow you to see what all the part number variables mean if you choose to go the manual route.

Wherever applicable, don't forget to enter in your Application Information, which will be helpful in determining the suitability of configuration options for your application (belt tension, gearbox torque on the conveyor utility for example).

This tool can also automatically generate the Solidworks model, as detailed in the next section.

When you have completed configuring your device, go to the **Configure and Confirm Dialogue Box** and click CONFIRM. This will take you back to the master summary page and your configured item will have an accurate price with an accurate part number.



IMPACT! Setup Instructions V1.7



USING IMPACT! WITH SOLIDWORKS


IMPACT! allows the user to create and configure dimensionally accurate Glide-Line conveyor and device solid models in the context of their SolidWorks environment.

To use IMPACT! to create configure and manage your Glide-Line conveyor and device models simply **name your IMPACT! project file the same as your top-level SolidWorks assembly**. Please do not use a "." In the filename except for the extension delimiter. The SolidWorks assembly needs to be open and active for IMPACT to interact with it.

This is a common mistake made by new users. Make sure you follow the naming instruction above shown in blue!

Note that IMPACT! is not compatible with LIGHTWEIGHT mode in Solidworks.

Each device configuration page will display the following control dialog...




Once the device is configured as desired, the user can press the Create and Insert SolidWorks Model button (red arrow). If a name has not been entered, the user will be asked to provide one. IMPACT will use this name to generate the SolidWorks model file and the model file will be placed in the same folder as the assembly. IMPACT will also ask the user to select an entity in their assembly model to define the location to insert and place the newly generated model. If no entity is selected, the new model will be placed at the origin of the assembly model.

After the model has been created and inserted, the user will have the opportunity to manipulate the configuration and update the SolidWorks model before confirming the changes and returning to the project summary page. If a series of iterative configuration changes are needed, it may be convenient for the user to check the box under the update button to keep the configuration page open while making changes.

IMPACT! Setup Instructions V1.7



USING IMPACT! WITH SOLIDWORKS (continued)



Note: Once IMPACT is used to generate a conveyor or device model, the configuration can no longer be edited and confirmed without first updating SolidWorks. In addition, if a configuration change is made and the SolidWorks model is updated, the user can no longer cancel and will be forced to confirm unless they return the model back to the original configuration. This is intended to help keep SolidWorks and IMPACT synchronized.

Although the SolidWorks model file being edited is saved automatically when updated, the assembly is not. IMPACT does not save assembly files automatically because saving large assemblies could take some time. However, it's generally a good idea for the user to save the assembly file after changes are made. Please note that IMPACT configuration changes are not saved until the configuration is confirmed so it's recommended that the user confirm configuration changes before continuing work in SolidWorks.

IMPACT! Setup Instructions V1.7



USING IMPACT! WITH SOLIDWORKS (continued)

The following tools are available on the IMPACT summary page...



Count Parts in SolidWorks

With the appropriate SolidWorks assembly model open and active, IMPACT will count all the Glide-Line conveyors and devices and update the quantities in the summary. If Glide-Line items are suppressed in the context of SolidWorks, those instances will not be counted. If a device listed in the summary is no longer in the SolidWorks assembly or all instances are suppressed, the corresponding line item will be removed from scope. Quantities of line items not synchronized with SolidWorks will not be affected.

An additional function of this tool is to manage names of SolidWorks models. SolidWorks users will in some cases arbitrarily name models early in the design stage and as the design matures they may like to change filenames especially if the names need to comply with a standard. If the user changes the file name of an IMPACT generated model, the Count Parts in SolidWorks tool will capture the new name and update the summary table accordingly.

Modify Item Selected in SolidWorks

The user can select an IMPACT model in SolidWorks and press this button to launch the selected model's configuration page. This way, the user won't have to search through the summary list to find the corresponding item or risk editing the wrong one.

Copy Item Selected in SolidWorks

In many cases, the user will want to create a copy of a configured conveyor or device that's like another without having to configure it from scratch. The user must select the IMPACT item in SolidWorks before pressing this button. It will create a new line item in the summary under the one being copied, and the user will have the opportunity to edit the new configuration and either insert a new model or replace one or more instances of the one they are copying.

For example, the user creates a conveyor model and uses several instances of it in SolidWorks. At some point the user realizes that one must be a unique length. Rather than making a new model and manually replacing the one already mated in place, IMPACT will allow the user to make a copy and replace one or more of the existing instances automatically.

